

Homework Set Four
ECE 175
Department of Electrical and Computer Engineering
University of California, San Diego

Nuno Vasconcelos

Spring 2008

Due May 20, 2008

1. Consider the binomial random variable X with parameters n and p , i.e.

$$P_X(x) = \binom{n}{x} p^x (1-p)^{n-x}$$

Assuming that the parameter n is known, and given a sample $\mathcal{D} = \{x_1, \dots, x_N\}$, what is the maximum likelihood estimate of the parameter p ?

2. Consider a d -dimensional random variable

$$\mathbf{Y} = \mathbf{A}\mathbf{x} + \mathbf{n}$$

where \mathbf{x} is an unknown, but deterministic, d -dimensional vector \mathbf{n} a d dimensional Gaussian random vector of mean $\mathbf{0}$ and covariance Σ and \mathbf{A} a $n \times n$ positive definite matrix.

- a) what is the joint density for the random variable \mathbf{Y} ?
- b) show that, given an observation \mathbf{y} , the maximum likelihood estimate of \mathbf{x} is

$$\hat{\mathbf{x}} = (\mathbf{A}^T \Sigma^{-1} \mathbf{A})^{-1} \mathbf{A}^T \Sigma^{-1} \mathbf{y}.$$

- c) what is the least squares problem whose solution is equivalent to b)? Assume Σ is diagonal. What is the role of this matrix, i.e. how does it change the canonical least squares problem?

3. (Computer) In last two problems, we saw how classification of hand written digits works. This time we will move to a more general and practical situation. The digital scan of the digits as in Fig.1 is often noisy and may vary a lot in terms of overall intensity. We want to classify these corrupted digits. We shall continue with the training data used in the previous experiment, but with a new set of test data `testImagesNew`, which is 1) corrupted by noise and 2) re-scaled in amplitude. Using the Nearest Neighbor approach, we will find the training image that is nearest to the test image, but instead of the Euclidean distance, we will use the distance to the ML estimate of the uncorrupted test pattern. We assume the test image \mathbf{Y} is of the form

$$\mathbf{Y} = a * \mathbf{x} + \mathbf{N}$$

i.e. the result of corrupting the training image \mathbf{x} through 1) amplitude re-scaling by the scalar a , and 2) addition of independent zero mean Gaussian noise with variance v , i.e. $\mathbf{N} \sim \mathcal{G}(\mathbf{0}, v\mathbf{I})$. The scale factor a is the maximum likelihood estimate given the observation \mathbf{y} (the test image) and the known training image \mathbf{x} . The Euclidean distance between the normalized test image and the training image then serves as the metric for the NN classifier.

$$a^* = \operatorname{argmax}_a P_Y(Y|X, a, v)$$

1. Using the two sample images `sampletest.png` and `sampletrain.png` (i) calculate the ML estimate of the scale parameter 'a'.




Figure 1: Sample Images

2. Now for the new testset `testImagesNew`, perform the task of classification using the least square distance metric. As before, Compute and plot the error rates for each class, and the total error rate.
3. Perform a NN classification on the new testset, using the algorithm of Computer Problem 1, i.e. using Euclidean distance metric. Compare your results with the NN classification performed in part 2.

Notes:

- Remember to convert everything to double before calculating the ML estimate of a.
- All the data needed for this assignment is uploaded on the website do not use data from the previous experiments.